DFD6361 Maintenance 2

(Rev. 7.00)

Trainee (受講者)		F (
Company (会社名)		()

Period (期間)	
Trainer (トレーナー)	

Module <important notice=""> The modules indicated with an asterisk (*) below may not be available depending on the specification of</important>		Page	Sign-off (サインオフ欄)		
(モジュ	customer's equipment. For details, please see Technical Newsletter (#tnl2016-0021e) attached at the end of this sign-off	(ページ)	Date (日付)	Trainee (受講者)	Trainer (トレーナー)
Day 1					
1. Ma	chine Structure				
1.1.	Verify the Safety Interlock Circuit and Functions	2			
1.2.	Identify the Electrical Connection	6			
1.3.	Identify the Locations for Electric Components	11			
1.4.	Identify the Function of Each PC Board	20			
1.5.	Identify the Axes Zero Point Position	37			
1.6.	Identify the Servo Motor Driver Error Code	47			
1.7.	Identify the Spindle Motor Driver Error Code	51			
1.8.	Identify the Stepping Motor and Spindle Driver Setting	57			
1.9.	Interpret the Water and Pneumatic Piping	59			
1.10.	Interpret the Chuck Table Setup Principle	62			
2. Ins	spection and Adjustment				
2.1.	Inspect and Adjust the Air/Water Curtain Pipe Height/Angle	65			
2.2.	Adjust the Cutting Room Partition Height	72			
2.3.	Identify How to Properly Use the Dial Gauge	76			
2.4.	Inspect the X-axis Straightness Accuracy	79			
2.5.	Inspect the X-Spindle Axis Perpendicularity	113			
2.6.	Adjust the X-Spindle Axis Perpendicularity	181			

Mod	Important Notice > The modules indicated with an asterisk (*) below may not be available depending on the specification of	Page	Sign-off (サインオフ欄)		
(モジュ		(ページ)	Date (日付)	Trainee (受講者)	Trainer (トレーナー)
Day 2					
2.7.	Inspect the Chuck Table Leveling Accuracy	193			
2.8. *	Adjust the Theta-axis (Chuck Table) Leveling Accuracy	205			
2.9. *	Inspect the Workpiece Transfer Position	221			
2.10. *	Adjust the Workpiece Transfer Position	228			
2.11.	Adjust the Wheel Cover Nozzle Position	254			
2.12.	Perform the Pixel Size Measure Operation	288			
3. Ma	chine Parts Replacement				
3.1.	Replace the Microscope LED Light	296			
3.2.	Replace the PC Board after Setting Jumper and DIP Switches	304			
3.3.	Replace the Motor Driver after Setting Jumper and DIP Switches	321			
3.4.	Replace the Axis End Sensor	327			
3.5.	Replace the NCS Sensor	340			
3.6.	Replace the Blade Breakage Detector (BBD) Sensor	354			
3.7. *	Replace the Microscope Unit	364			
4. Appendix					
4.1.	(Appendix) DFD6361 Accuracy Certificate	373			
4.2.	(Appendix) Water and Air Piping Diagram [Standard Specification]	376			
4.3.	(Appendix) Electrical Circuit Diagram [Standard Specification]	387			

Course composition, intended trainees and course objective

Course Name	Intended Trainees	
Operation	- who has no experience of operating the machine - who conducts data and function settings of the machine	
Mainte- nance 1	- who has already completed the "Operation" course (or has equivalent operation skills) - who conducts periodic maintenance of the machine	
Mainte- nance 2	- who has already completed the "Maintenance 1" course (or has equivalent maintenance skills) - who conducts maintenance works which are not described in the Maintenance Manual of the machine	

Course Objective	
- To enable trainees to understand the terms necess operating the machine and to process products by data set in the machine - To enable trainees to create the data and set the functions for operating the machine	calling up the
To enable trainees to safely and precisely perform to maintenance and consumable parts replacement domaintenance Manual of the machine	
To enable trainees to conduct maintenance works of described in the machine Maintenance Manual (onlican be executed without any special tools or access Maker Data)	y the items that



Technical Newsletter

#tnl2016-0021e

To customers who attended our dicing saw training course "Tier 3 (or Maintenance 2)"

Introduction

Among the dicing saws shipped after January 1, 2012, equipment with the Machine Directive^{*1} (CE Marking^{*2}) specification have been modified for safer design. This technical newsletter has been sent to inform you that some of the maintenance work taught in our training cannot be performed by customers.

<Equipment this notification applies to>

		Shipped AFTER Jan. 1, 2012		
Customer's equipment	Shipped BEFORE Jan. 1, 2012	Conforms to Machine Directive	Does not conform to Machine Directive	
DAD322	N/A	Applicable	N/A	
3000 Series *3	N/A	Applicable	N/A	
6000 Series *3	N/A	Applicable	N/A	

^{*1} Machine Directive integrates the "Essential safety requirements" for equipment.

How to Identify Applicable Equipment

The following label is attached near the safety switch on the outer cover of the applicable equipment. Refer to the appendix for the detailed label position of each equipment model.



^{*2} CE Marking is a mark which certifies that a machine conforms to "Essential safety requirements."

The shipper is obliged to apply the CE Mark when shipping their products to the EU region.

^{*3} DAD3650, DFD6341, and DFD6560 with the standard specifications all conform to the Machine Directive.

Therefore, this notification applies to all of these units, regardless of the shipping date.



Applicable Maintenance Work

If any of the following maintenance work is performed on applicable equipment, the safety mechanism (interlock) activates and the axes power shuts down. Therefore, customers are unable to perform any of the applicable maintenance work.

Equipment	Applicable Maintenance Work
DAD222	Microscope replacement
DAD322	 Accuracy adjustment
3000 Series	 Spindle replacement
	Microscope replacement
	 Transfer adjustment
6000 Series	 Accuracy adjustment
	 Spindle replacement
	Spinner seal replacement

Countermeasure

If any of the maintenance work mentioned above is required, please contact your DISCO customer engineer and request maintenance.

Inquiries

Please contact the DISCO Training Center (<u>trainctr@disco.co.jp</u>) or your local sales representative if you have any questions regarding this matter.